


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Tobacco Stocks Report

as of October 1, 1947



U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
November 17, 1947

CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent - - - - -	5
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)- - - - -	6 - 9
Stocks of leaf tobacco, by types and groups of grades - - - - -	10-17
Stocks of Burley tobacco, by groups and qualities - - - - -	18
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	19
Stocks of leaf tobacco, summary by types - - - - -	20

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

A-Wrappers
B-Leaf and smoking leaf
C-Cutters
X-Lugs and primings
S-Scrap
N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 31:

A-Wrappers
B-Bright leaf, red leaf, and tips
C-Lugs and cutters
X-Trash and flyings
S-Scrap
N-Nondescript

GROUPS OF TYPE 32:

B-Heavy leaf or dull crop
C-Thin leaf or bright crop
X-Seconds and ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 41:

B-Binders or tops
C-Fillers (farm wrappers)
X-Stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

C-Fillers (farm wrappers)
X-Stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 46:

C-Superior
X-Inferior
Y-Defectuosos
S-Scrap (Picadura)
N-Nondescript

GROUPS OF TYPES 51, 52, and 53:

A-Wrappers
B-Binders, seconds, and brokes
C-Fillers and short darks
X-Stemming grades
Y-Sand-leaf fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers
X-Stemming grades
Y-Sand-leaf fillers or bottom leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 56:

B-Binders
C-Fillers
X-Stemming grades
Y-Ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Stout wrappers and binders
C-Fillers or tips
X-Filler brokes
S-Scrap
N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

A-Wrappers
C-Fillers
S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Stocks Larger Than a Year Ago

Stocks of all types 1/ of leaf tobacco totaled 3,334 million pounds (farm-sales-weight) on October 1, 1947 2/. This is about 11 percent higher than stocks on the same date last year, when there were 2,998 million pounds in the hands of dealers and manufacturers in the United States and Puerto Rico.

During the third quarter, July 1, 1947, to October 1, 1947, approximately 700 million pounds entered stocks through sales and deliveries as compared with 655 million for the same quarter last year. The bulk of these additions was flue-cured, but also included Maryland and cigar-leaf.

Stocks of all southern types were larger than a year ago. Flue-cured and Burley holdings each increased about 10 percent, fire-cured increased around 36 percent, dark air-cured 20 percent, and Maryland 30 percent. For the cigar-leaf types of tobacco, filler stocks were 5 percent lower than 12 months ago, but inventory of the binder types increased 20 percent above the previous October 1 level, and shade-grown was up 12 percent.

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Figures quoted in comments of reports prior to July 1, 1946, were on a reported weight basis. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

2/ The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured, Burley, and Maryland Stocks All Higher

Flue-cured leaf stocks were 144 million pounds greater than a year ago with holdings this October 1 totaling 1,639 million pounds. Marketing of the 1947 flue-cured crop began during July and around 670 million pounds or slightly over 50 percent of the estimated production, had been sold up to October 1.

Stocks of Burley were 941 million pounds as compared with a carry-over of 853 million last October 1, for an increase of 88 million. However, Burley stocks held by manufacturers had declined 56 million from a year ago, whereas stocks in the hands of dealers and growers Cooperative Associations increased 142 million pounds. Based on these stocks, disappearance (domestic consumption plus exports) during the past marketing year, of Burley tobacco totaled 526 million pounds compared with 483 million the previous year. Exports were around 50 million pounds (farm-sales-weight), an increase of 15 million over the previous year.

Maryland stocks were 52.5 million pounds, compared with 40.3 million on October 1, 1946. During the third quarter, Maryland leaf held by dealers and manufacturers increased 17.4 million pounds. About 26 million pounds of Maryland leaf entered stocks between July 1 and October 1 this year as marketing of the record size 1946 crop over the loose-leaf floors was completed.

Foreign-grown cigarette and smoking tobacco (Turkish and Other) totaled 109.5 million on October 1 as against 121.5 million on July 1, 1947.

DARK TOBACCO STOCKS

Fire-cured and Dark Air-cured Stocks Up Sharply From Year Ago

Fire-cured leaf tobacco stocks increased 38.3 million pounds over holdings a year ago. Stocks amounted to 143.2 million pounds compared with 104.9 million on last October 1. All of the increase in total stocks was in the hands of dealers and Growers Cooperative Associations, as stocks in the hands of manufacturers were below the total reported a year ago. Stocks of fire-cured indicated disappearance of fire-cured tobacco during the marketing year, October 1, 1946 - October 1, 1947, of 71 million pounds as against 85.2 million the previous year. Exports accounted for 34.4 million pounds and domestic usage 36.6 millions. This compared with 47.6 million exported the previous 12 months and 37.6 million pounds domestic disappearance. Fire-cured holdings by types on October 1, 1947, were 22.8 million pounds of Virginia fire-cured, 86.1 million of Eastern District, 34.2 million of Western District and 0.2 million of Henderson Stemming fire-cured.

Stocks of Dark air-cured tobacco held by dealers and manufacturers on October 1, 1947 totaled 72.7 million pounds, an increase of 12.2 million above the figure for a year ago. However, as in fire-cured, stocks of dark air-cured tobacco in the hands of manufacturers were lower than a year ago. Indicated disappearance of dark air-cured leaf during the past marketing year was 36.2 million compared with 43.5 million during the preceding year. Exports accounted for 7.6 million pounds, whereas shipments abroad the previous 12 months totaled 13.1 million. Holdings of dark air-cured by types on October 1, 1947, were 40.1 million pounds of One Sucker, 28.6 million of Green River, and 3.9 million pounds of Virginia sun-cured.

CIGAR LEAF STOCKS

Filler Stocks Lower; Binder and Shade-grown Larger
Compared with Last October 1

Stocks of the cigar leaf types on October 1, 1947, were 339.7 million pounds (farm-sales-weight) of domestic types including Puerto Rican, and 33.7 million (unstemmed equivalent) of foreign-grown cigar-leaf. The corresponding figures on October 1, 1946, were 327.5 million pounds and 26.1 million, respectively.

Combined stocks of the cigar-filler types were 196.1 million pounds, a decrease of around 11 million pounds compared with October 1, 1946. Holdings of each type were lower than a year ago. Pennsylvania Seedleaf stocks were 98.4 million pounds, Ohio-Miami Valley filler, 23.7 million, and Puerto Rican 74 million, of which 42.3 million were in the continental United States, and 31.7 million on the Island. Disappearance of Pennsylvania Seedleaf for the marketing year, October 1, 1946, to October 1, 1947, amounted to 61 million pounds compared with 53.3 million the preceding year. For Ohio filler, the disappearance was 10 million pounds compared with 10.8 million for the year before.

The cigar-binder leaf stocks totaled 124.8 million pounds compared with 103.7 million on October 1, 1946. Northern Wisconsin stocks showed the largest increase, although Connecticut Broadleaf and Southern Wisconsin holdings were also higher than a year ago. Binder stocks were divided as follows: 28.6 million pounds of Connecticut Valley Broadleaf, 16.5 million of Connecticut Valley Havana Seed, 2.7 million of New York and Pennsylvania Havana Seed, 36.5 million of Southern Wisconsin, 40 million of Northern Wisconsin and 0.4 million of Georgia and Florida binder. Based on the October 1, 1947 stocks, disappearance of cigar-binder types during 1946-47 amounted to 49.8 million pounds as compared with 60.8 million during the previous year.

Shade-grown leaf stocks were 18.8 million pounds which is an increase of 2.1 million over the level for October 1, 1946. Practically all of the 1947 crop of Georgia and Florida shade and part of the Connecticut shade crop entered stocks during the third quarter. Connecticut shade stocks were 11.9 million pounds and Georgia and Florida shade 6.9 million.

Stocks of foreign-grown cigar-leaf consisted of 30.9 million pounds of Cuba (Havana), 1.9 million of Sumatra and Java, 0.8 million of Philippine Islands (Manila), and 0.1 million of Other Foreign-grown cigar-leaf.

Table 1.-Average percentage of weight remaining after handling, sweating, drying and stemming for all types of tobacco and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent ^{1/}

SOUTHERN TYPES (11-37)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by			
		Packed in domestic order				Yield from:				to convert reported stocks			
		To the end of:				actual				Stemmed			
		Percent	One year	Two years	Three years	Percent	Weight	Export	Order	Percent	Yield from	Stocks to	Unstemmed stocks
			in storage	in storage	in storage						weight at	farm-sales	to farm-sales
											time of	operation	unstemmed
											weight	equivalent	weight equiv-
											Percent	Percent	alent ^{2/}
Flue-cured	11-14	90.0	89.1	88.7	88.7	88.0	78.0	69.0	1.282	1.12			
Virginia fire-cured	21	85.0	84.2	83.4	83.0	83.0	77.0	64.0	1.299	1.18			
Tenn. and Ky. fire-cured	22-23	98.5	94.6	92.7	91.8	95.0	76.0	69.5	1.316	1.04			
Henderson Stemming	24	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.125			
Burley	31	90.0	88.2	87.3	86.4	89.0	74.0	64.0	1.351	1.12			
Southern Maryland	32	100.0	96.0	94.1	93.2	100.0	69.0	69.0	1.351	1.02			
One Sucker	35	92.0	90.2	88.8	87.9	90.0	70.0	61.5	1.429	1.09			
Green River	36	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.13			
Virginia sun-cured	37	89.0	88.1	87.2	86.8	85.0	76.0	66.0	1.316	1.13			

CIGAR LEAF TYPES (41-62)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by			
		To the end of:				Yield from:				to convert reported stocks			
		One year				actual				Stemmed			
		Percent	Two years	Three years	Weight	Yield from				Stocks to			
		in storage	in storage	in storage	time of	weight				unstemmed			
					operation	Percent				weight equiv-			
						Percent				alent ^{2/}			
Pennsylvania Seedleaf	41	97.3	86.0	84.0	82.0	80.6	72.0	58.0	1.387	1.11			
Gebhardt	42	97.3	85.6	83.3	80.9	79.3	73.0	58.0	1.370	1.12			
Zimmer	43	97.3	85.4	83.0	80.8	78.9	71.5	56.5	1.401	1.13			
Dutch	44	97.3	86.5	84.1	81.7	80.0	70.5	56.5	1.418	1.115			
Puerto Rico	46	88.0	87.1	85.6	82.0	81.1	78.5	64.5	1.275	1.17			
Connecticut Broadleaf	51	97.0	87.4	85.4	83.1	81.2	77.5	62.5	1.292	1.07			
Connecticut Havana Seed	52	97.0	87.4	85.0	83.1	81.2	77.0	62.5	1.299	1.07			
N. Y. & Pa. Havana Seed	53	91.0	84.6	82.9	80.9	79.7	73.0	58.5	1.364	1.135			
Southern Wisconsin	54	96.3	83.1	81.5	79.1	77.9	70.5	59.5	1.300	1.06			
Northern Wisconsin	55	93.7	83.8	82.4	80.6	79.2	75.0	59.0	1.333	1.085			
Ca. & Fla. Sun-grown	56	82.5	80.8	78.8	77.2	75.7	78.5	67.5	1.275	1.245			
Connecticut Shade	61	91.1	88.7	86.3	84.4	83.0	81.5	67.5	1.224	1.135			
Ca. & Fla. Shade	62	89.1	87.3	84.5	82.3	80.6	83.0	67.0	1.205	1.16			

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by			
		To the end of:				Yield from:				to convert reported stocks			
		One year				actual				Stemmed			
		Percent	Two years	Three years	Weight	Yield from				Stocks to			
		in storage	in storage	in storage	time of	weight				unstemmed			
					operation	Percent				weight equiv-			
						Percent				alent ^{2/}			
Miscellaneous Domestic	71-73	--	--	--	--	--	75.0	--	1.333 ^{4/}	1.09 ^{4/}			
Foreign-grown cigar leaf	81-84	--	--	--	--	--	83.0	--	1.205 ^{4/}	5/			
Foreign-grown cigarette	85-88	--	--	--	--	--	--	--	--	--			
and smoking tobacco	90	--	--	--	--	--	83.0	--	1.205 ^{4/}	5/			

^{1/} Information in this table taken from U. S. Department of Agriculture Circular 435. Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. ^{2/} Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. ^{3/} Ohio-Miami Valley filler types of tobacco packed in cases by grovere before delivery. ^{4/} Tentative factor. ^{5/} Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, October 1, 1947, compared with other quarters 1/

FARM-SALES WEIGHT

Type name	U.S. type number	October 1, 1947	October 1, 1946	October 1, 1945	July 1, 1947	April 1, 1947	January 1, 1947
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	1,639,459	1,495,211	1,482,650	1,286,840	1,541,543	1,729,701
Virginia fire-cured	21	22,813	17,532	24,031	25,762	28,158	17,471
Tennessee and Kentucky fire-cured (Eastern District)	22	86,076	68,077	81,982	96,762*	96,068	55,971
Kentucky and Tennessee fire-cured (Western District)	23	34,192	19,155	25,717	38,343	37,984	16,520
Henderson Stemming	24	167	94	110	169	164	123
Total fire-cured	21-24	143,243	104,908	131,840	161,036*	162,374	90,085
Burley	31	940,803	853,285	759,033	1,090,898*	1,206,320	920,698
Southern Maryland	32	52,461	40,292	52,227	35,070*	25,811	32,382
Total light air-cured	31-32	993,264	893,577	811,260	1,125,968*	1,232,131	953,080
One Suoker	35	40,132	32,842	30,680	46,017*	52,286	36,948
Green River	36	23,635	24,784	26,374	31,322	33,726	29,601
Virginia sun-cured	37	3,905	2,819	3,375	4,679*	4,945	2,635
Total dark air-cured	35-37	72,672	60,445	60,429	82,018*	90,957	69,184
Pennsylvania Seedleaf	41	98,437	101,223	108,733	113,772*	118,137	84,971
Gebhardt (Ohio-Miami Valley)	42	13,599	13,748	17,321	14,988*	15,413	14,111
Zimmer (Ohio-Miami Valley)	43	6,614	10,167	11,812	6,928	7,451	6,998
Dutch (Ohio-Miami Valley)	44	3,487	3,614	5,032	6,849	4,255	4,210
Puerto Rican:							
In United States	46	42,308	41,569	31,510	46,760*	49,559	47,949
In Puerto Rico	46	31,680	36,729	43,833	34,507*	26,861	22,647
Total cigar filler	41-46	196,125	207,050	218,241	220,804*	221,676	180,886
Connecticut Broadleaf	51	28,569	24,260	23,511	31,671*	32,069	27,514
Connecticut Havana Seed	52	16,490	15,997	18,796	19,775*	23,106	21,376
N.Y. & Pa. Havana Seed	53	2,731	2,042	3,239	2,862*	3,095	1,145
Southern Wisconsin	54	36,544	32,670	27,499	38,224	35,046	27,885
Northern Wisconsin	55	39,992	28,406	28,953	43,541*	40,446	23,651
Georgia and Florida sun-grown	56	435	324	403	300*	360	295
Total cigar binder	51-56	124,761	103,699	102,401	136,273*	134,122	101,866
Connecticut shade	61	11,942	10,410	10,540	10,128*	12,294	14,884
Georgia and Florida shade	62	6,894	6,335	7,147	3,245*	4,233	5,542
Total cigar wrapper	61-62	18,836	16,745	17,687	13,373*	16,527	20,426
Eastern Ohio	71	58	71	125	63	62	70
Perique	72	664	796	542	681	776	838
Other Miscellaneous Domestic 2/	73	2,183	2,028	1,315	2,592	2,706	2,423
Total Miscellaneous Domestic	71-73	2,905	2,895	1,982	3,336	3,544	3,331
Cuba (Havana) 3/	81	30,931	24,673	24,062	34,090*	35,958	34,822
Sumatra and Java 3/ 4/	82	1,880	1,209	2,431	1,022	1,033	1,027
Philippine Islands (Manila) 3/	83	815	89	39	610	445	486
Other foreign-grown cigar-leaf 3/	84	45	128	432	63	149	161
Total foreign-grown cigar-leaf 3/	81-84	33,671	26,099	26,964	35,785*	37,585	36,496
Foreign-grown cigarette and 3/ smoking tobacco (Turkish & other)	90	109,537	86,896	74,681	121,518	112,734	96,587
Total all types	11-90	3,334,478	2,997,525	2,928,135	3,186,951*	3,553,193	3,281,642

1/ For factors used in converting weights, see table 1. October 1, 1947 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 17.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in July 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1942-47 1/

VIRGINIA FIRE-CURED, TYPE 21

Marketing year beginning October 1	Production	Carry-over (stocks October 1)	Total supply	Disappearance (supply less carry-over following year)	Average price to growers
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1942	13,260	35,346	48,606	16,776	17.5
1943	9,760	31,830	41,590	12,299	27.6
1944	14,155	29,291	43,446	19,415	24.5
1945	11,760	24,031	35,791	18,209	31.5
1946	17,160	17,582	34,742	2/ 11,929	28.8
1947	3/ 14,820	2/ 22,813	2/ 37,633		

TENNESSEE AND KENTUCKY FIRE-CURED, TYPE 22

1942	40,280	107,655	147,935	38,363	17.9
1943	38,175	109,572	147,747	41,801	22.8
1944	36,000	105,946	141,946	59,964	25.2
1945	33,800	81,982	115,782	47,705	32.4
1946	64,050	68,077	132,127	2/ 46,051	27.0
1947	3/ 54,525	2/ 86,076	2/ 140,601		

KENTUCKY AND TENNESSEE FIRE-CURED, TYPE 23

1942	17,790	41,273	59,063	20,810	14.9
1943	16,838	38,253	55,091	16,953	22.1
1944	15,889	38,138	54,027	28,310	22.9
1945	12,636	25,717	38,353	19,198	29.4
1946	27,935	19,155	47,090	2/ 12,898	22.2
1947	3/ 26,505	2/ 34,192	2/ 60,757		

HENDERSON STEMMING, TYPE 24

1942	180	317	497	329	12.4
1943	90	168	258	112	22.4
1944	95	146	241	131	17.3
1945	95	110	205	111	30.0
1946	210	94	304	2/ 137	21.8
1947	3/ 210	2/ 167	2/ 377		

BURLEY, TYPE 31

1942	343,534	755,301	1,098,835	412,841	41.8
1943	392,106	685,994	1,078,100	426,872	45.6
1944	590,581	651,228	1,241,809	482,776	44.0
1945	577,156	759,033	1,336,189	482,904	39.4
1946	614,004	853,285	1,467,289	2/ 526,486	39.7
1947	3/ 522,396	2/ 940,803	2/ 1,463,199		

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1942-47 1/ - Cont'd.

ONE SUCKER, TYPE 35

Marketing year beginning October 1	Production	Carry-over (stocks October 1)	Total supply	Disappearance (supply less carry-over following year)	Average price to growers
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1942	17,880	31,491	49,371	14,949	15.5
1943	17,016	34,422	51,438	22,931	24.8
1944	25,293	28,507	53,800	23,120	21.4
1945	26,720	30,680	57,400	24,558	24.7
1946	28,280	32,842	61,122	2/20,990	22.3
1947	3/ 24,570	2/ 40,132	2/ 64,702		

GREEN RIVER, TYPE 36

1942	14,935	29,759	44,694	16,722	13.7
1943	10,925	27,972	38,897	12,821	29.4
1944	16,500	26,076	42,576	16,202	24.7
1945	14,600	26,374	40,974	16,190	24.8
1946	16,200	24,784	40,984	2/12,349	22.6
1947	3/ 14,850	2/ 28,635	2/ 43,485		

VIRGINIA SUN-CURED, TYPE 37

1942	2,430	2,743	5,173	2,286	22.7
1943	2,106	2,887	4,993	1,860	34.5
1944	3,074	3,133	6,207	2,832	31.5
1945	2,240	3,375	5,615	2,796	33.8
1946	3,933	2,819	6,752	2/ 2,847	24.2
1947	3/ 2,590	2/ 3,905	2/ 6,495		

PENNSYLVANIA SEEDLEAF, TYPE 41

1942	41,664	122,948	164,612	55,011	13.7
1943	39,564	109,601	149,165	42,405	18.6
1944	52,260	106,760	159,020	50,287	19.7
1945	45,760	108,733	154,493	53,270	34.0
1946	58,188	101,223	159,411	2/60,974	32.5
1947	3/ 60,140	2/ 98,437	2/ 158,577		

MIAMI VALLEY (OHIO) FILLER, TYPES 42-44

1942	12,160	43,836	55,996	11,956	11.5
1943	7,475	44,040	51,515	12,907	18.3
1944	6,578	38,608	45,186	11,021	18.3
1945	4,180	34,165	38,345	10,816	34.0
1946	6,183	27,529	33,717	2/10,017	36.0
1947	3/ 7,650	2/ 23,700	2/ 31,350		

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1942-47 1/ - Continued

CONNECTICUT BROADLEAF, TYPE 51

Marketing year : beginning : October 1 :	Production : 1,000 lb.	Carry-over : (stocks : October 1) :	Total : supply :	Disappearance : (supply less : carry-over : following year) :	Average : price to : growers :
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1942	10,344	26,140	36,484	14,196	26.0
1943	11,022	22,288	33,310	12,530	40.0
1944	13,024	20,780	33,804	10,293	39.0
1945	13,270	23,511	36,781	12,521	60.0
1946	13,654	24,260	37,914	2/ 9,345	73.9
1947	3/ 14,766	2/ 28,569	2/ 43,335		

CONNECTICUT HAVANA SEED, TYPE 52

1942	12,716	29,572	42,288	13,254	26.4
1943	10,963	29,054	39,997	17,119	37.7
1944	11,724	22,878	34,602	15,806	37.3
1945	10,160	18,796	28,956	12,959	56.3
1946	12,366	15,997	28,363	2/ 11,873	69.0
1947	3/ 13,851	2/ 16,490	2/ 30,341		

NEW YORK AND PENNSYLVANIA HAVANA SEED, TYPE 53

1942	1,931	2,933	4,864	3,108	13.8
1943	1,378	1,756	3,134	997	19.7
1944	1,546	2,137	3,683	444	22.0
1945	1,525	3,239	4,764	2,722	36.0
1946	2,016	2,042	4,058	2/ 1,327	39.9
1947	3/ 2,310	2/ 2,731	2/ 5,041		

SOUTHERN WISCONSIN, TYPE 54

1942	13,248	55,636	48,884	12,761	16.2
1943	12,780	36,123	48,903	16,740	22.5
1944	14,976	32,163	47,139	19,640	24.0
1945	18,634	27,499	46,133	13,463	37.7
1946	20,735	32,670	53,405	2/ 16,861	34.7
1947	3/ 14,000	2/ 38,544	2/ 50,544		

NORTHERN WISCONSIN, TYPE 55

1942	16,120	42,023	58,143	21,810	16.4
1943	14,514	36,333	50,917	21,050	25.5
1944	15,844	29,867	45,711	16,758	26.8
1945	18,300	28,953	47,253	18,847	45.4
1946	21,875	28,406	50,281	2/ 10,289	45.6
1947	3/ 21,884	2/ 39,992	2/ 61,876		

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm basis and price of specified types, 1942-47 1/ - Cont'd.

FLUE-CURED, TYPES 11-14

Marketing year beginning July 1	Production	Carry-over (stocks July 1)	Total supply	Disappearance :(supply less carry-over following year)	Average price to growers
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1942	811,690	1,459,512	2,271,202	892,429	38.4
1943	790,162	1,378,773	2,168,935	980,110	40.2
1944	1,087,290	1,138,825	2,276,115	1,149,832	42.4
1945	1,173,459	1,126,283	2,299,742	1,152,384	43.6
1946	1,352,024	1,147,358	2,499,382	1,212,542	48.3
1947	3/1,310,470	1,286,840	2/2,597,310		

GEORGIA AND FLORIDA SUN-GROWN, TYPE 56

1942	800	1,556	2,356	1,208	17.4
1943	249	1,148	1,397	748	22.0
1944	120	649	769	469	27.0
1945	186	300	486	325	33.0
1946	210	161	371	71	55.0
1947	3/220	300	2/520		

CONNECTICUT SHADE, TYPE 61

1942	5,644	8,559	14,183	5,832	150.0
1943	6,324	8,351	14,675	5,900	185.0
1944	7,735	8,775	16,510	6,360	220.0
1945	7,572	10,150	17,722	7,600	220.0
1946	8,725	10,122	18,847	8,719	230.0
1947	3/9,645	10,128	2/19,773		

GEORGIA AND FLORIDA SHADE, TYPE 62

1942	3,598	4,671	8,269	3,583	104.0
1943	3,696	4,686	8,382	2,844	138.0
1944	3,555	5,538	9,093	4,555	144.0
1945	3,642	4,538	8,180	4,679	150.0
1946	3,677	3,501	7,178	3,933	220.0
1947	3/4,325	3,245	2/7,570		

1/ Annual disappearance for a type is calculated for the marketing year established for that type; the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Subject to revision.

3/ October 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	October 1, 1947			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	4,752	5	4,757	5,341	3	5,344
B	82,697	5,125	87,822	86,137	5,665	91,802
C	101,057	24,437	125,494	98,312	29,354	127,666
X	161,974	25,756	187,730	164,072	33,222	197,294
S	4,216	4,532	8,748	4,395	5,270	9,665
N	3,489	667	4,156	2,651	603	3,254
Total	358,185	60,522	418,707	360,908	74,117	435,025

Type 12, Eastern North Carolina flue-cured

A	198	-	198	2,056	932	2,988
B	61,904	7,998	69,902	27,932	6,992	34,924
C	123,306	26,400	149,706	97,673	30,949	128,622
X	176,048	32,537	208,585	133,220	32,573	165,793
S	7,998	2,058	10,056	5,528	2,338	7,866
N	3,505	164	3,669	3,004	190	3,194
Total	372,959	69,157	442,116	269,413	73,974	343,387

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	774	-	774	791	-	791
B	58,175	4,776	62,951	18,324	2,846	21,170
C	92,330	6,674	99,004	58,392	8,277	66,669
X	153,459	24,313	177,772	97,549	21,105	118,654
S	2,758	1,044	3,802	2,489	830	3,319
N	2,936	52	2,988	2,031	80	2,111
Total	310,432	36,859	347,291	179,576	33,138	212,714

Type 14, Georgia and Florida flue-cured

A	4	-	4	-	-	-
B	27,633	9,137	36,770	3,595	3,556	7,151
C	12,553	54,689	67,242	3,619	34,854	38,473
X	19,609	48,939	68,548	12,898	26,870	39,768
S	482	1,270	1,752	338	813	1,151
N	1,078	915	1,993	623	723	1,346
Total	61,359	114,950	176,309	21,073	66,816	87,889

Types 11-14, Total flue-cured

A	5,728	5	5,733	8,188	935	9,123
B	230,409	27,036	257,445	135,988	19,059	155,047
C	329,246	112,200	441,446	257,996	103,434	361,430
X	511,090	131,545	642,635	407,739	113,770	521,509
S	15,454	8,904	24,358	12,750	9,251	22,001
N	11,008	1,798	12,806	8,309	1,596	9,905
Total	1,102,935	281,488	1,384,423	830,970	248,045	1,079,015

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

Group	October 1, 1947 1/			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	318	-	318	504	-	504
B	8,948	26	8,974	9,316	69	9,385
C	2,021	2	2,023	2,623	-	2,623
X	7,261	231	7,492	8,471	333	8,804
S	379	3	382	325	-	325
N	24	32	56	24	36	60
Total	18,951	294	19,245	21,263	438	21,701

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

A	6,029	24	6,053	7,838	25	7,863
B	46,983	171	47,154	50,273*	122	50,395*
C	6,985	68	7,053	9,126	167	9,293
X	21,214	-	21,214	24,144	-	24,144
S	752	45	797	801	36	837
N	397	-	397	397	-	397
Total	82,360	308	82,668	92,579*	350	92,929*

Type 23, Kentucky and Tennessee fire-cured (Western District)

A	122	1	123	165	-	165
B	18,619	14	18,633	22,390	59	22,449
C	5,253	-	5,253	6,282	7	6,289
X	7,818	122	7,940	7,105	125	7,230
S	158	1	159	139	-	139
N	725	-	725	536	-	536
Total	32,695	138	32,833	36,617	191	36,808

Type 24, Henderson Stemming

C	15	-	15	30	-	30
X	29	-	29	29	-	29
S	64	25	89	51	25	76
N	7	-	7	7	-	7
Total	115	25	140	117	25	142

Types 21-24, Total fire-cured

A	6,469	25	6,494	8,507	25	8,532
B	74,550	211	74,761	81,979*	250	82,229*
C	14,274	70	14,344	18,061	174	18,235
X	36,322	353	36,675	39,749	458	40,207
S	1,353	74	1,427	1,316	61	1,377
N	1,153	32	1,185	964	36	1,000
Total	134,121	765	134,886	150,576*	1,004	151,580*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 31, Burley 2/

Group	October 1, 1947 1/			July 1, 1947		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,970	-	1,970	2,179	-	2,179
B	279,247	40,609	319,856	319,875*	50,313	370,188*
C	280,085	43,875	323,960	320,515	52,743	373,258
X	133,380	11,733	145,113	157,402*	13,036	170,438*
S	4,919	6,753	11,672	6,274	7,014	13,288
N	1,285	3	1,288	1,452	2	1,454
Total	700,886	102,973	803,859	807,697*	123,108	930,805*

Type 32, Southern Maryland

B	4,844	161	5,005	3,116*	157	3,273*
C	21,952	12,651	34,603	13,274*	9,085	22,359*
X	3,521	121	3,642	3,192*	114	3,306*
S	345	645	990	299	495	794
N	2,426	-	2,426	1,192	-	1,192
Total	33,088	13,578	46,666	21,073*	9,851	30,924*

Type 35, One Sucker

A	1,252	-	1,252	1,429	-	1,429
B	12,554	15	12,569	13,633*	19	13,652*
C	7,989	-	7,989	9,505*	-	9,505*
X	12,767	535	13,302	13,399	606	14,005
S	686	-	686	741	-	741
N	641	100	741	2,434	128	2,562
Total	35,839	650	36,539	41,141*	753	41,894*

Type 36, Green River

A	6	-	6	6	-	6
B	11,096	186	11,282	12,144	213	12,357
C	1,891	2	1,893	2,094	20	2,114
X	10,339	848	11,187	11,159	918	12,077
S	128	-	128	147	-	147
N	460	44	504	556	75	631
Total	23,920	1,080	25,000	26,106	1,226	27,332

Type 37, Virginia sun-cured

A	68	-	68	75	-	75
B	691	47	738	823	59	882
C	446	313	759	559*	331	890*
X	1,647	26	1,673	2,043	23	2,066
S	92	1	93	93	1	94
N	3	-	3	3	-	3
Total	2,947	387	3,334	3,596*	414	4,010*

See footnotes at end of table.

Continued --

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	October 1, 1947			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,326	-	1,326	1,510	-	1,510
B	24,341	248	24,589	26,600*	291	26,891*
C	10,326	315	10,641	12,158*	351	12,509*
X	24,753	1,409	26,162	26,601	1,547	28,148
S	906	1	907	981	1	982
N	1,104	144	1,248	2,993	203	3,196
Total	62,756	2,117	64,873	70,843*	2,393	73,236*

Type 41, Pennsylvania Seedleaf

B	5,222	18	5,240	4,346*	24	4,370*
C	66,972	2,532	69,504	76,414*	2,874*	79,288*
X	7,180	494	7,674	9,778	1,244	11,022
Y	2,615	557	3,172	3,529	838	4,367
S	92	1,147	1,239	50*	1,023*	1,073*
N	7	6	13	8	33	41
Total	82,088	4,754	86,842	94,125*	6,036*	100,161*

Type 42, Gebhardt, (Ohio-Miami Valley)

C	7,556	25	7,581	8,625*	29	8,654*
X	1,332	152	1,484	1,208	142	1,350
Y	2,022	664	2,686	2,293	673	2,966
S	20	44	64	47	30	77
N	-	-	-	12	-	12
Total	10,930	885	11,815	12,185*	874	13,059*

Type 43, Zimmer, (Ohio-Miami Valley)

C	2,704	2	2,706	2,773	2	2,775
X	1,310	53	1,363	1,380	77	1,457
Y	784	663	1,447	876	673	1,549
S	8	28	36	20	20	40
N	-	1	1	-	-	-
Total	4,806	747	5,553	5,049	772	5,821

Type 44, Dutch, (Ohio-Miami Valley)

C	2,187	53	2,240	2,575	55	2,630
X	255	6	261	267	19	286
Y	390	4	394	339	1	340
S	16	134	150	14	105	119
N	-	-	-	-	1	1
Total	2,848	197	3,045	3,195	181	3,376

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 46, Puerto Rican (In Continental United States)

Group	October 1, 1947 1/			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
C	11	22,987	22,998	67*	24,251*	24,318*
X	2,645	761	3,406	3,056	1,721*	4,777*
Y	535	31	616	656	67*	723*
S	89	1,411	1,500	115	1,705*	1,820*
N	706	6	712	698	-	698
Total	4,036	25,196	29,232	4,592*	27,744*	32,336*

Type 46, Puerto Rican (In Puerto Rico)

C	9,398	2,340	11,738	11,771*	1,126*	12,897*
X	4,593	1,975	6,568	5,270*	2,263*	7,533*
Y	4,741	1,388	6,129	5,755*	1,050*	6,805*
S	69	780	849	32*	742*	774*
N	10	-	10	25*	27	52*
Total	18,811	6,483	25,294	22,853*	5,208*	28,061*

Type 46, Total Puerto Rican

C	9,409	25,327	34,736	11,838*	25,377*	37,215*
X	7,238	2,736	9,974	8,326*	3,984*	12,310*
Y	5,326	1,419	6,745	6,411*	1,117*	7,528*
S	158	2,191	2,349	147*	2,447*	2,594*
N	716	6	722	723*	27	750*
Total	22,847	31,679	54,526	27,445*	32,952*	60,397*

Type 51, Connecticut Broadleaf

A	1,436	3	1,439	1,364*	4	1,368*
B	19,614	116	19,730	22,170*	130*	22,300*
C	516	-	516	602	-	602
X	4,007	144	4,151	4,161	123	4,284
Y	32	-	32	10	67	77
S	34	558	592	39	574*	613*
Total	25,639	821	26,460	28,346*	898*	29,244*

Type 52, Connecticut Havana Seed

A	2,577	3	2,580	3,551*	4	3,555*
B	8,861	46	8,907	10,639*	137	10,776*
C	63	3	66	47	-	47
X	3,364	87	3,451	3,598	134	3,732
Y	1	101	102	12	101	113
S	9	173	182	6	105	111
N	-	-	-	3	-	3
Total	14,875	413	15,238	17,856*	481	18,337*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 53, New York and Pennsylvania Havana Seed

Group	October 1, 1947 1/			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	11	-	11	32	-	32
B	624	1	625	582	2	584
C	1	-	1	609	-	609
X	1,729	-	1,729	1,210	31	1,241
S	3	9	12	-	32	32
N	-	18	18	-	-	-
Total	2,368	28	2,396	2,433	65	2,498

Type 54, Southern Wisconsin

B	9,419	52	9,471	8,951	47	8,998
C	86	18	104	2,401	19	2,420
X	23,282	819	24,101	22,962	994	23,956
Y	56	166	222	93	168	261
S	201	46	247	4	40	44
N	-	-	-	1	-	1
Total	33,044	1,101	34,145	34,412	1,268	35,680

Type 55, Northern Wisconsin

B	18,793	93	18,886	22,117	83	22,200
C	29	73	102	620	72*	692*
X	16,421	715	17,136	16,470	311	16,781
S	110	245	355	128	125	253
N	4	1	5	7	-	7
Total	35,357	1,127	36,484	39,342	591*	39,933*

Type 56, Georgia and Florida sun-grown

B	343	5	348	233*	6	239*
Total	343	5	348	233*	6	239*

Type 61, Connecticut Shade

A	9,847	23	9,870	8,458*	67*	8,525*
B	335	6	341	148*	5	153*
C	98	-	98	16	1	17
X	13	-	13	15	-	15
S	2	156	158	3	139	142
N	1	-	1	24	-	24
Total	10,296	185	10,481	8,664*	212*	8,876*

Type 62, Georgia and Florida Shade

A	5,735	8	5,743	2,575*	35	2,610*
B	48	1	49	80*	1	81*
C	6	-	6	4	-	4
X	29	-	29	29*	-	29*
S	1	17	18	2	35	37
N	93	-	93	11	9	20
Total	5,912	26	5,938	2,701*	80	2,781*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

SUMMARY ALL CIGAR TOBACCO 3/

October 1, 1947

Group	Filler Types 41-46 4/	Binder Types 51-56	Wrapper Types 61-62	Foreign Types 81-84 5/	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	-	4,030	15,613	2,402	22,045
B	5,240	57,967	390	-	63,597
C	116,767	789	104	20,999	138,659
X	20,756	50,568	42	-	71,366
Y	14,444	356	-	-	14,800
S	3,838	1,388	176	6,234	11,636
N	736	23	94	-	853
Total	161,781	115,121	16,419	29,635	322,956

July 1, 1947

A	-	4,955*	11,135*	1,614*	17,704*
B	4,370*	65,097*	234*	-	69,701*
C	130,562*	4,370*	21	22,417*	157,370*
X	26,425*	49,994	44*	-	76,463*
Y	16,750*	451	-	-	17,201*
S	3,903*	1,053*	179	6,945*	12,080*
N	804*	11	44	-	859*
Total	182,814*	125,931*	11,657*	30,976*	351,378*

Type 71, Eastern Ohio

	October 1, 1947 1/			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total	48	4	52	50	6	56

Type 72, Perique

Total	-	457	457	-	469	469
-------	---	-----	-----	---	-----	-----

Type 73, Other miscellaneous domestic 6/

Total	237	1,325	1,562	119	1,695	1,814
-------	-----	-------	-------	-----	-------	-------

Types 71-73, Total miscellaneous domestic

Total	285	1,786	2,071	169	2,170	2,339
-------	-----	-------	-------	-----	-------	-------

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1947, compared with July 1, 1947 - Cont'd.
(REPORTED WEIGHT)

Type 81, Cuba (Havana)

Group	October 1, 1947 1/			July 1, 1947		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	506	26	532	560*	38	598*
C	6,198	14,652	20,850	4,432*	17,824*	22,256*
S	767	4,791	5,558	872*	5,562*	6,434*
Total	7,471	19,469	26,940	5,864*	23,424*	29,288*

Type 82, Sumatra and Java 7/

A	1,869	1	1,870	1,016	-	1,016
C	6	-	6	-	-	-
S	-	3	3	-	5	5
Total	1,875	4	1,879	1,016	5	1,021

Type 83, Philippine Islands (Manila)

C	97	1	98	97	1	98
S	460	213	673	479	27	506
Total	557	214	771	576	28	604

Type 84, Other foreign-grown cigar-leaf

Total	44	1	45	61	2	63
-------	----	---	----	----	---	----

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	109,537	-	109,537	121,518	-	121,518
-------	---------	---	---------	---------	---	---------

Types 11-90, Total all types

Total	2,404,908	464,363	2,869,271	2,286,349*	454,446*	2,740,795*
-------	-----------	---------	-----------	------------	----------	------------

- 1/ Subject to revision.
- 2/ See Supplementary Burley report on page 18.
- 3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.
- 4/ Includes Puerto Rican on the Island, Type 46.
- 5/ Type 84, -Other foreign-grown all shown in the C group.
- 6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
- 7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in July 1 report.

Table 5.-Stocks of Burley tobacco, by groups and qualities, owned by dealers and manufacturers, October 1, 1947; compared with July 1, 1947
(REPORTED WEIGHT)

Group and quality	October 1, 1947 1/			July 1, 1947		
	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A-Wrappers	1,970	-	1,970	2,179	-	2,179
B-Bright leaf:						
Choice to fine	14,776	467	15,243	17,784	428	18,212
Medium or good	46,370	1,856	48,226	54,912*	4,506	59,418*
Fair to common	31,736	27,231	58,967	32,761	29,906	62,667
Total	92,882	29,554	122,436	105,457*	34,840	140,297*
B-Red Leaf						
(including green):						
Choice to fine	8,524	327	8,851	10,249	369	10,618
Medium or good	38,642	3,381	42,523	44,835*	5,722	50,557*
Fair to common	34,192	1,756	35,948	35,022	2,482	37,504
Total	81,358	5,464	87,322	90,106*	8,573	98,679*
B-Tips:						
Medium or good	50,728	3,620	54,348	59,684	4,403	64,087
Fair to common	54,279	1,471	55,750	64,628	2,497	67,125
Total	105,007	5,091	110,098	124,312	6,900	131,212
Total bright leaf, Red leaf, and tips	279,247	40,609	319,856	319,875*	50,313	370,188*
C-Lugs and cutters:						
Choice to fine	91,529	7,257	98,786	103,745	11,554	115,299
Medium or good	105,906	10,431	116,337	120,117	12,752	132,869
Fair to common	82,650	26,187	108,837	96,653	28,437	125,090
Total	280,085	43,875	323,960	320,515	52,743	373,258
X-Granulators or flyings:						
Choice to fine	37,539	1,808	39,347	43,230	2,696	45,926
Medium or good	45,318	6,547	51,865	52,901	6,415	59,316
Fair to common	50,523	3,378	53,901	61,271*	3,925	65,196*
Total	133,380	11,733	145,113	157,402*	13,036	170,433*
S-Scrap	4,919	6,753	11,672	6,274	7,014	13,288
M-Nondescript	1,285	3	1,288	1,452	2	1,454
Total all groups	700,886	102,973	803,859	807,697*	123,108	930,805*

1/ Subject to revision

* Revisions in July 1 report.

Table 6.-Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers,
October 1, 1947 1/

REPORTED WEIGHT

Type name	U.S. type number	Reported as owned by manufacturers 2/			Reported as owned by dealers 2/			Combined totals
		Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	
Old and Middle Belt flue-cured	11	238,415	56,585	345,000	69,770	3,937	73,707	418,707
Eastern North Carolina flue-cured	12	331,002	63,419	364,421	71,957	5,738	77,695	442,116
South Carolina flue-cured	13	240,511	32,680	273,191	69,921	4,179	74,100	347,291
(Including Southeastern N. C.)								
Georgia and Florida flue-cured	14	24,908	107,490	132,398	36,451	7,460	43,911	176,309
Total flue-cured	11-14	854,836	260,174	1,115,010	248,099	21,314	269,413	1,384,423
Virginia fire-cured	21	14,425	288	14,713	4,526	6	4,532	19,245
Tennessee and Kentucky fire-cured	22	47,065	269	47,334	35,295	39	35,334	82,668
(Eastern District)								
Kentucky and Tennessee fire-cured	23	12,765	137	12,902	19,930	1	19,931	32,833
(Western District)								
Henderson Stemming	24	63	25	88	52	-	52	140
Total fire-cured	21-24	74,318	719	75,037	59,803	46	59,849	134,886
Burley	31	537,091	100,633	637,724	163,795	2,340	166,135	803,859
Southern Maryland	32	20,522	13,429	33,951	12,566	149	12,715	46,666
Total light air-cured	31-32	557,613	114,062	671,675	176,361	2,489	178,850	850,525
One Sucker	35	20,477	643	21,120	15,412	7	15,419	36,539
Green River	36	17,090	1,078	18,168	6,830	2	6,832	25,000
Virginia Sun-cured	37	2,376	387	2,763	571	-	571	3,334
Total dark air-cured	35-37	39,943	2,108	42,051	22,813	9	22,822	64,873
Pennsylvania Seedleaf	41	71,033	4,500	75,533	11,055	254	11,309	86,842
Gebhardt (Ohio-Miami Valley)	42	10,195	884	11,079	735	1	736	11,815
Zimmer (Ohio-Miami Valley)	43	4,289	739	5,028	517	8	525	5,553
Dutch (Ohio-Miami Valley)	44	2,166	130	2,296	682	67	749	3,045
Puerto Rican 3/	46	3,855	24,646	28,501	18,992	7,033	26,025	54,526
Total cigar filler	41-46	91,538	30,899	122,437	31,981	7,363	39,344	161,781
Connecticut Broadleaf	51	13,934	706	14,640	6,705	115	6,820	21,460
Connecticut Havana Seed	52	12,254	399	12,653	2,621	14	2,635	15,288
N. Y. and Pa. Havana Seed	53	2,262	28	2,290	106	-	106	2,396
Southern Wisconsin	54	26,448	1,072	27,520	6,596	29	6,625	34,145
Northern Wisconsin	55	27,799	1,014	28,813	7,558	113	7,671	36,484
Georgia and Florida sun-grown	56	264	5	269	79	-	79	348
Total cigar binder	51-56	87,961	3,224	91,185	23,665	271	23,936	115,121
Connecticut shade	61	7,340	132	7,472	2,956	3	2,959	10,431
Georgia and Florida shade	62	1,632	25	1,657	4,280	1	4,281	5,938
Total cigar wrapper	61-62	8,972	257	9,229	7,236	4	7,240	16,419
Eastern Ohio	71	9	4	13	39	-	39	52
Perique	72	-	367	367	-	90	90	457
Other Miscellaneous Domestic 4/	73	147	1,315	1,462	90	10	100	1,562
Total Miscellaneous Domestic	71-73	156	1,686	1,842	129	100	229	2,071
Cuba (Havana)	81	7,172	17,266	24,438	299	2,203	2,502	26,940
Sumatra and Java 5/	82	767	4	771	1,108	-	1,108	1,879
Philippine Islands (Manila)	83	549	214	763	8	-	8	771
Other foreign-grown cigar-leaf	84	9	-	9	35	1	36	45
Total foreign-grown cigar-leaf	81-84	8,497	17,484	25,981	1,450	2,204	3,654	29,635
Foreign-grown cigarette and smoking tobacco (Turkish & other)	90	93,050	-	93,050	16,487	-	16,487	109,537
Total all types	11-90	1,816,884	430,563	2,247,447	588,024	33,800	621,824	2,869,271

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1949, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis. Figures are as reported to date; no revisions of this table will be made.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 6 on page 17.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 7.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1947 compared with other quarters. 1/

REPORTED WEIGHT

Type name	U.S. : : type : : number :	October 1, 1947 2/ : Unstemmed : : 1,000 lb. :	October 1, 1947 2/ : Stemmed : : 1,000 lb. :	October 1, 1947 2/ : Total : : 1,000 lb. :	July 1 : : 1947 : : 1,000 lb. :	October 1 : : 1946 : : 1,000 lb. :	July 1 : : 1946 : : 1,000 lb. :
Old and Middle Belt flue-cured	: 11 :	358,185	60,522	418,707	435,025	350,439	359,568
Eastern North Carolina flue-cured	: 12 :	372,959	69,157	442,116	343,387	431,828	320,383
South Carolina flue-cured (including Southeastern N.C.)	: 13 :	310,432	36,859	347,291	212,714	322,535	187,496
Georgia and Florida flue-cured	: 14 :	61,359	114,950	176,309	87,889	149,729	90,150
Total flue-cured	: 11-14 :	1,102,935	281,488	1,384,423	1,079,015	1,254,531	957,597
Virginia fire-cured	: 21 :	18,951	294	19,245	21,701	14,804	17,839
Tennessee and Kentucky fire-cured (Eastern District)	: 22 :	82,360	308	82,668	92,929*	65,271	75,537
Kentucky and Tennessee fire-cured (Western District)	: 23 :	32,695	138	32,833	36,808	18,355	23,065
Henderson Stemming	: 24 :	115	25	140	142	84	76
Total fire-cured	: 21-24 :	134,121	765	134,886	151,580*	98,514	116,517
Burley	: 31 :	700,886	102,973	803,859	930,805*	721,102	831,499
Southern Maryland	: 32 :	33,088	13,578	46,666	30,924*	35,700	33,163
Total light air-cured	: 31-32 :	733,974	116,551	850,525	961,729*	756,802	864,662
One Sucker	: 35 :	35,889	650	36,539	41,894*	29,872	37,346
Green River	: 36 :	23,920	1,080	25,000	27,332	21,461	23,738
Virginia sun-cured	: 37 :	2,947	387	3,334	4,010*	2,342	3,003
Total dark air-cured	: 35-37 :	62,756	2,117	64,873	73,236*	53,675	64,087
Pennsylvania Seedleaf	: 41 :	82,088	4,754	86,842	100,161*	89,114	102,537
Gebhardt (Ohio-Miami Valley)	: 42 :	10,930	885	11,815	13,059*	11,961	13,307
Zimmer (Ohio-Miami Valley)	: 43 :	4,806	747	5,553	5,821	7,939	8,690
Dutch (Ohio-Miami Valley)	: 44 :	2,848	197	3,045	3,376	3,172	3,476
Puerto Rican:	: 46 :						
In United States	: 46 :	4,036	25,196	29,232	32,336*	28,666	30,375
In Puerto Rico	: 46 :	18,811	6,483	25,294	28,061*	29,307	34,585
Total cigar filler	: 41-46 :	123,519	38,262	161,781	182,814*	170,159	193,970
Connecticut Broadleaf	: 51 :	25,639	821	26,460	29,244*	22,455	24,607
Connecticut Havana Seed	: 52 :	14,875	413	15,288	18,337*	14,840	18,456
N. Y. and Pa. Havana Seed	: 53 :	2,368	28	2,396	2,498	1,783	2,116
Southern Wisconsin	: 54 :	33,044	1,101	34,145	35,680	30,570	34,696
Northern Wisconsin	: 55 :	35,357	1,127	36,484	39,933*	25,902	29,278
Georgia and Florida sun-grown	: 56 :	343	5	348	239*	257	123
Total cigar binder	: 51-56 :	111,626	3,495	115,121	125,931*	95,807	109,276
Connecticut shade	: 61 :	10,296	185	10,481	8,876*	9,093	8,833
Georgia and Florida shade	: 62 :	5,912	26	5,938	2,781*	5,453	3,012
Total cigar wrapper	: 61-62 :	16,208	211	16,419	11,657*	14,546	11,845
Eastern Ohio	: 71 :	48	4	52	56	62	77
Perique	: 72 :	-	457	457	469	548	540
Other Miscellaneous Domestic 3/	: 73 :	237	1,325	1,562	1,814	1,401	1,168
Total Miscellaneous Domestic	: 71-73 :	285	1,786	2,071	2,339	2,011	1,785
Cuba (Havana)	: 81 :	7,471	19,469	26,940	29,288*	21,078	20,706
Sumatra and Java 4/	: 82 :	1,875	4	1,879	1,021	1,207	1,423
Philippine Islands (Manila)	: 83 :	557	214	771	604	74	7
Other foreign-grown cigar-leaf	: 84 :	44	1	45	63	123	137
Total foreign-grown cigar-leaf	: 81-84 :	9,947	19,688	29,635	30,976*	22,482	22,273
Foreign-grown cigarette and smoking tobacco (Turkish and other)	: 90 :	109,537	-	109,537	121,518	86,896	95,110
Total all types	: 11-90 :	2,404,908	464,363	2,869,271	2,740,795*	2,555,423	2,437,122

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1946, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 6 on page 17.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in July 1 report

103287





